



- LEGENDA/ LEGEND :**
- conducta apa rece/ cold water pipe;
 - conducta apa calda/ hot water pipe;
 - conducta canalizare apa uzata menajera/ wastewater sewage pipe;
 - conducta din cupru la si de la panouri solare/ copper pipe to and from the solar panels;
- FS fonta de scurgere/ cast iron drain;
 RDS robinet dublu servici/ double service tap;
 M coloana apa uzata menajera/ wastewater column ;
 SP tifon de pardoseala/ floor trap;
 PC piesa de curatare/ cleaning piece;
 Red 100/75 reductie de la diametru $\Phi 100$ la $\Phi 75$ / reduction from the diameter $\Phi 100$ to $\Phi 75$;
 B boiler trivalent (o serpentina de la panouri solare, o serpentina de la centrala termica si o rezistenta electrica)/ trivalent water heater (a coil from the solar panel, a coil from the thermal plant and an electrical resistance), V=300l, P=9 kW, $\Phi \times H = 0,58 \times 1,57$ m;
 CR clapeta de retinere (de sens unic)/ check valve (one-way sense);
 Rp recipient de pardoseala/ container floor, $0,8 \times 0,8 \times 0,8$ m;
 P + H grup pompare cu membrana si hidrofor/ pumping group with membrane and water pump, $q=1,16$ l/s, H=20mCA, P=0,94kW;
 RT rezervor tampon deschis/ open buffer, V=0,75mc, LxH = 0,7x0,7x1,84m;
 S sorb/ whirlpool;
 Cr cota radier/ foundation mark;
 DF dep de fonta/ iron cap.

D					
C					
B					
A					
Indice	Data	Modificari	Proiectant	Aprobat Consultant	Aprobat CFR
		Modificator/Revisor	Designer	Approved Consultant	Approved CFR



CLIENT / CLIENT
 C.N.C.F. "C.F.R." - S.A.



Aprobat / Approved		Data / Date		Semnatura / Signature	
Verificat / Checked	Verificator / Key Expert	DEC. 2011			
Coordonator Sectiune 1 / Section 1 Coordinator	C. Gambelli	DEC. 2011			
Responsabil Proiect / Project manager	R. Liuzza	DEC. 2011			

Aprobat / Approved		Data / Date		Semnatura / Signature	
Elaborat / Elaborated	Proiectant / Designer	DEC. 2011			
Responsabil Subcontractant / Subcontractant Responsible	A. Stancu - Diruleacu	DEC. 2011			
Proiectant / Designer	Anca Ionescu	DEC. 2011			

Reabilitarea liniei de cale ferata Bragov - Simeria, parte componenta a coridorului IV Pan European, pentru circulatia trenurilor cu viteza maxima de 160 km/h, Tronsoanel: Bragov - Sighisoara
 Rehabilitation of the railway line Bragov - Simeria, component Part of the IV Pan-European Corridor, for the train circulation with maximum speed of 160 km/h, Section : Bragov - Sighisoara

Proiect/Project 2004/RO16/PPA003

Faza / Phase: P.Th. / T.D.

Denumire desen / Drawing Title :
 STATIA C.F. BOD / RAILWAY STATION BOD
 CLADIREA STATIEI / STATION BUILDING
 Schema coloanelor - Instalati sanitare Interioare, statie hidrofor
 Indoor sanitary Installations - Columns scheme, pumping station

Codificare / Codification System	Scara / Scale 1:50	LOT / LOT	Nr. / No 01 / 01
E A 5 1	0 1	E 0 5	D B 1 5 0 0 2 1 0 3 4 1