


- LEGENDA / LEGEND :**
- conducta apa rece/ cold water pipe;
 - conducta apa calda/ hot water pipe;
 - conducta canalizare apa uzata menajera/ wastewater sewage pipe;
 - conducta din cupru la si de la panouri solare/ copper pipe to and from the solar panels;
- FS fonta de scurgere/ cast iron drain;
- RDS robinet dublu servici/ double service tap;
- M coloana apa uzata menajera/ wastewater column;
- SP tifon de pardoseala/ floor trap;
- PC piesa de curatare/ cleaning piece;
- Red 100/75 reductie de la diametru $\Phi 100$ la $\Phi 75$ / reduction from the diameter $\Phi 100$ to $\Phi 75$;
- B boiler bivalent (o serpentina de la panouri solare si o rezistenta electrica)/ bivalent water heater (a coil from the solar panel and an electrical resistance)
- V=300l, P=9 kW, CrEI = 0,58x1,57 m;
- CR clapeta de retinere (de sens unic)/ check valve (one-way sense);
- Rp recipient de pardoseala/ container floor, 6.8x0.8x0.8m;
- P+H grup pompare cu membrana si hidrofor/ pumping group with membrane and water pump, q=1,16/s, H=20mCA, P=0,94kW;
- RT rezervor tampon deschis/ open buffer, V=0,75mc, LxH= 0,7x0,7x1,84m;
- S serb/ whirlpool;
- C cota radier/ foundation mark;
- DF dop de fonta/ iron cap.

D					
C					
B					
A					
Indice	Data	Modificari	Proiectant	Aprobat Consultant	Aprobat CFR
		Modificator/Revisor	Designer	Approved Consultant	Approved CFR



CLIENT / CLIENT

CFR
C.N.C.F. "C.F.R." - S.A.



CONSULTANT / CONSULTANT

Aprobat	Del proiect	R. Liuzza	DEC. 2011	Semnatura
Approved	Project manager			
Aprobat	Coordonator Sectiune 1	C. Gambelli	DEC. 2011	
Approved	Section 1 Coordinator			
Verificat	Expert Chief	Giuseppe Floreavanti	DEC. 2011	
Checked	Key Expert			

SUBCONTRACTANT / SUBCONTRACTOR

Aprobat	Responsabil Subcontractant	A.Stancu - Diruleacu	DEC. 2011	
Approved	Subcontractant Responsible			
Intocmit	Proiectant	Anca Ionescu	DEC. 2011	
Elaborated	Designer			

Reabilitarea liniei de cale ferata Bragov - Simeria, parte componenta a coridorului IV Pan European, pentru circulatia trenurilor cu viteza maxima de 160 km/h, Tronsoanel: Bragov - Sighisoara

Project/Project 2004/RO16/PPA003

Faza / Phase: P.Th. / T.D.

Denumire desen / Drawing Title :

STATIA C.F. APATA / RAILWAY STATION APATA
CLADIREA STATIEI / STATION BUILDING
Schema coloanelor - Instalati sanitare Interioare, statie hidrofor
Indoor sanitary installations - Columns scheme, pumping station

Codificare / Codification System	Scara / Scale 1:50	LOT / LOT	Nr. / No 01 / 01
E A 5 1 0 1 E 0 9 D B I S 0 0 4 1 0 3 4 1			

A2 (420x1337) = 0.56m