



LEGENDA:
LEGEND:

- Conducta apa potabila si de incendiu din tuburi PEID, tip PE80, pn 6 kgf/cm², SDR 17.6
Potable water conduit, from PEID pipes, PE80 type, NP 6 kgf/cm², SDR 17.6
- Retea canalizare apa uzata menajera proiectata, din tuburi PEID gofate, Ø 200 mm
Designed domestic wastewater sewerage network, from PEHD corrugated pipes, Ø 200 mm
- Retea canalizare ape pluviale proiectata, din tuburi PEID gofate, Ø 200 mm
Designed rainwater sewerage network, from PEHD corrugated tubes, Ø 200 mm
- Consolidare tub canalizare la subtraversarea linii CF
Sewer tube protection for railway line undercrossing
- Conducta refulare apa uzata proiectata, din tuburi PEID, tip PE80, pn 6 kgf/cm², SDR 17.6
Designed wastewater pressure pipe, from PEID pipes, PE80 type, NP 6 kgf/cm², SDR 17.6
- Coloana canalizare ape pluviale de pe copertina, din tuburi si fitinguri din fonta ductil
Rainwater column from canopy, from ductil iron pipes and fittings
- CV
Camin de vane proiectat (pe retea de apa potabila)
Designed valve manhole (on potable water network)
- C1 - C21
Camin de vizitare proiectat (pe canal pluvial)
Designed inspection chamber (on rainwater sewerage)
- M1 - M3
Camin de vizitare proiectat (pe canal menajer)
Designed inspection chamber (on domestic wastewater sewerage)
- GS1 - GS6
Gura de scurgere pentru apa pluviala
Discharge opening for rainwater
- GVE
Outlet in the emissary
- F
Fantana publica pentru apa de baut
Public potable water fountain
- RIS
Racord incendiu, supateran, Dn 65 mm
Firefighting branch, above ground, ND 65 mm
- H_{ic}
Hidrant subteran de incendiu, Dn 65 mm
Firefighting underground hydrant, ND 65 mm
- D
Dulap dotari PSI
Closest with Security and Fire Extinction accessories
- ①
Put forat pentru apa potabila si pentru stingerea incendiului
Drilling well for drinking water and for firefighting
- ②
Rezervor stocare apa incendiu, montat subteran, 60 m³
Firefighting underground tank, V = 60 cm
- ③
Statie pompare apa stingere incendiu
Firefighting water pumping station
- ④
Rezervor etans de stocare apa uzata menajera, montat subteran, V = 50 m³
Domestic wastewater tight tank, buried in the ground mounted, V = 50 m³
- ⑤
Separator de namol si hidrocarburi, din beton prefabricat, montat ingropat
Mud and hydrocarbons separator, from reinforced concrete, buried in the ground mounted

NOTA :

* Prezentul plan se va consulta impreuna cu urmatoarele planse : Profile longitudinale ale retelei de canalizare menajera; Profil longitudinal al retelei de canalizare menajera.

NOTE :

* The present drawing will be consulted with together plans : Longitudinal profiles for drainwater sewerage network; Longitudinal profile for domestic wastewater sewerage network.

D						
C						
B						
A						
Indice	Data	Modificare	Proiectant	Aprobat	Aprobat	Aprobat
Index	Date	Modification/Revision	Designer	Approved	Approved	Approved

GUVERNUL ROMANIEI
ROMANIAN GOVERNMENT

PROIECT FINANȚAT DE UNIUNEA EUROPEANĂ
EUROPEAN UNION FINANCED PROJECT

C.N.C.F. "C.F.R." - S.A.

CLIENT / CLIENT

CONSULTANT / CONSULTANT

Aprobat	Sef proiect		Data	Semnatura
Approved	Project manager	R. Liuzza	DEC. 2011	
Aprobat	Coordonator Sectiune 1			
Approved	Section 1 Coordinator	C. Gambelli	DEC. 2011	
Verificat	Expert Verificator			
Checked	Verifier Expert	Giuseppe Fioravanti	DEC. 2011	

SUBCONTRACTANT / SUBCONTRACTOR

Aprobat	Responsabil Subcontractant	A. Stanciu - Dinulescu	DEC. 2011	
Approved	Subcontractant Responsible			
Elaborat	Proiectant	Duta Florian	DEC. 2011	
Elaborated	Designer			

Reabilitarea liniei de cale ferata Brasov - Simeria, parte componenta a coridorului IV Pan European, pentru circulatia trenurilor cu viteza maxima de 160 km/h,
Brasov - Sighisoara
 Rehabilitation of the railway line Brasov - Simeria, component Part of the IV Pan-European Corridor, for the trains circulation with maximum speed of 160 km/h,
Section : Brasov - Sighisoara

Denumire desen / Drawing Title :
Statia CF Archita. Retele exterioare de alimentare cu apa potabila, canalizare apa uzata menajera si pluviala. Plan de situatie.
Archita Railway Station. Water supply, domestic wastewater and rainwater sewerage networks. Location plan

Codificare / Codification System	Scara / Scale	LOT / LOT	Nr. / No
	1:500		01/01

EXECUTAREA LUCRARILOR DE MONTAJ A RETELOR DE ALIMENTARE CU APA POTABILA, CANALIZARE APA UZATA MENAJERA SI PLUVIALA SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIETELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR POTABLE WATER SUPPLY, DOMESTIC WASTEWATER AND RAINWATER NETWORKS WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPE OF WORKS.

* CATEGORIA DE IMPORTANTA "C" NORMALA, CALITATEA LUCRARILOR ASIGURANDU-SE DUPA MODELUL 3.
 * IMPORTANCE CATEGORY - NORMAL "C", THE WORK QUALITY WILL COMPLY WITH MODEL 3.
 * CRIANTA DE CALITATE A EXIGENTELOR ESENTIALE ESTE 3 (DIN I.L.G. 925/95).
 * THE QUALITY REQUIREMENT FOR ESSENTIAL DEMANDS IS 3 (OF I.L.G. 925/95)