


SECTIUNE TRANSVERSALA


SC. 1:200

Grinzi prefabricate precomprimate tronsoane
L=30.00m (33.00m); h=1.80 m; C 40/50




PLAN

SC. 1:500



Convoi de calcul conform SR EN 1991-2-2005
Caracteristicile seismice ale zonei: $a_g=0.12g$,
 $T_c=0.70s$ conform cod P100-1/2006
Zona seismica "6" conform SR11100/1-1993
Categoria de importanta privind calitatea "B"



BENEFICIAR



COMPANIA NATIONALA DE AUTOSTRAZI
SI DRUMURI NATIONALE DIN ROMANIA

PROIECTANT



IPTANA S.A.

INVESTITIA

AUTOSTRADA
DITRAU -TARGU NEAMT

CONTRACT Nr. 92 / 58623 / 4275

FAZA DE PROIECTARE
Studiu de Fezabilitate
Varianta optima
de construire

Proiectat ing. I.Dumitrescu <i>I.Dumitrescu</i>	Desenat ing. I.Dumitrescu <i>I.Dumitrescu</i>
Verificat ing. A. Tudor	Sef Proiect ing. V. Osman <i>V. Osman</i>

LUCRARI DE PODURI

Scara: 1:500; 1:200

Data: IANUARIE 2011

DISPOZITIE GENERALA
POD KM 5+107.37 + KM 5+229.07